



N	b			D/2			E/2			g	L			JEDEC
	MIN.	NOM.	MAX.	MIN.	NOM.	MAX.	MIN.	NOM.	MAX.		MIN.	NOM.	MAX.	
56L	0.18	0.23	0.30	5.90	5.95	6.00	5.90	5.95	6.00	0.500 BSC.	0.30	0.40	0.50	MO-220VLLD-2

02 - 118 B 20 May 02 REVISED PART SIZE REQUIRED EXPOSED TERMINALS SEE DRAWING V. B



SYMBOL	DIMENSION IN MM			DIMENSION IN INCH		
	MIN.	NOM.	MAX.	MIN.	NOM.	MAX.
A	0.80	0.85	0.95	0.031	0.033	0.037
A1	0.00	0.02	0.05	0.000	0.0008	0.0019
A2	0.55	0.60	0.65	0.022	0.024	0.026
A3	0.25 REF.			0.010 REF.		
D	7.85	8.00	8.15	0.309	0.314	0.320
E	7.85	8.00	8.15	0.309	0.314	0.320
JEDEC	MO-220					

- NOTES:
1. CONTROLLING DIMENSIONS IN MM.
  2. DIMENSION TOLERANCES ARE ±0.1 (ANGULAR TOLERANCE ±3°) UNLESS OTHERWISE SPECIFIED.
  3. ALL DIMENSIONS AND TOLERANCES CONFORM TO ASME Y14.5M-1994.
  4. COPPLANARITY APPLIES TO EXPOSED PAD AS WELL AS THE TERMINALS.
  5. PIN 1 LOCATION MAYBE IDENTIFIED BY EITHER A MOLD OR MARKED FEATURE.
  6. JEDEC REFERENCE MO-220 .

